

Sliding Axle Spring Kit



Part No.	Description
17-182	Single 16" spring with QWIK-SNAP™ 2-hose holder
17-183	Single 16" spring with QWIK-SNAP™ 3-hose holder

- Quick change - Save up to 5 min!
- Great spring memory
- Won't chaff hoses

Rubber Cushion Clamps



(1/4" Mounting Hole Also Available)

3/8" Mounting Hole

Part No.	Mounting Hole Size (A)	Tube Size (B)	Qty.
5-46034	3/8"	3/16"	25
5-46044	3/8"	1/4"	25
5-46054	3/8"	5/16"	25
5-46064	3/8"	3/8"	25
5-46074	3/8"	7/16"	25
5-46084	3/8"	1/2"	25
5-46094	3/8"	9/16"	25
5-46104	3/8"	5/8"	25
5-46124	3/8"	3/4"	25
5-46144	3/8"	7/8"	25

- Provides electrical insulation and vibration absorption
- Allows for easy adding or rerouting of wires
- Recommended for long-term applications
- Galvanized steel for corrosion protection
- Elongated holes allow for minor adjustments of clamped parts
- *Box of 500

Note: When using with split loom, select the next size up from the size of the split loom. Example: 3/8" split loom needs 7/16" clamp

Part No.	Mounting Hole Size (A)	Tube Size (B)	Qty.
5-46224	3/8"	1-1/8"	25
5-46241	3/8"	1-1/4"	5
5-46261	3/8"	1-3/8"	5
5-46271	3/8"	1-7/16"	5
5-46281	3/8"	2"	5
5-46291	3/8"	2-1/2"	5
5-46301	3/8"	3"	5

Neoprene Grommets



- Protect your wire and cable from sharp edges
- Eliminates sharp and rough edges from through holes
 - Made from neoprene for durability and flexibility
 - Adds a neat, clean look to any installation

Part No.	Groove Width	Drill Diameter	Center Hole	Qty.
5-710	1/16"	5/16"	3/16"	50
5-711	1/16"	7/16"	5/16"	50
5-712	1/16"	11/16"	7/16"	50
5-713	1/16"	7/8"	5/8"	50
5-714	1/4"	13/16"	9/16"	50
5-715	1/4"	1"	11/16"	50
5-716	1/4"	1 1/4"	3/4"	50


- High resistance to acids, greases, oils and diesel fuels
- Grommets for 1/16" and ¼" panels

Frame Clips



Part No.	Description	Qty.
5-5003	Holds 2-3, 14 ga wires	100
5-5004	Holds 3-4, 14 ga wires	100
5-5006	Holds 5-6, 14 ga wires	100

Tie Wraps




50 lb Nylon

Part No.	Length	Per bag	Tie Tensile	Bundle Diameter	Color	MIL-Spec Reference
8-43087	7"	100	50 lb	1/16 - 1 7/8	UV Black	MS3367-1-0
8-43117	11"	100	50 lb	1/16 - 3 1/16	UV Black	MS3367-7-0
8-43147	14"	100	50 lb	1/16 - 4 1/8	UV Black	MS3367-2-0

120 lb Nylon

Part No.	Length	Per bag	Tie Tensile	Bundle Diameter	Color	MIL-Spec Reference
8-44147	15"	100	120 lb	3/16 - 4 1/16	UV Black	MS3367-3-0



STA-DRY® SLIM-7™ TRAILER HARNESS SYSTEM



Electrical
Harness
Division

PHILLIPS

www.phillipsind.com



Standard (Length as shown above)

28 ft.			
Part No.	Description	Key	
34-1300-384	Main with ECU & ABS warning lamp drop, 384" (32')	A	
34-5100-204	Front marker, 204" (17')	E	
34-5100-144	Front marker, 144" (12')	F	
34-1402-420	Main with socket for pintle hook connection, 420" (35')	G	
36-9601-228	ID / license	*	H

2-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4020	With 2 stop / turn / tail, standard pigtails	D
34-4120	With 2 stop / turn / tail, Amp style pigtails	D1

3-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4030	With 3 stop / turn / tail, standard pigtails	D2
34-4130	With 3 stop / turn / tail, Amp style pigtails	D3

* Will fit both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)


Standard (Length as shown above)

Part No.	Description	Key
34-1824-072	Main, 72" (6')	A
34-4012	Rear Sill	D

Mid-Main Harness Options


Part No.	Description	Key
34-2004-066	8' Trailer Mid-Main, 66" (5'-6")	B
34-2004-114	12' Trailer Mid-Main, 114" (9'-6")	B1

* Adapter is available as an optional part




STA-DRY® SLIM-7™ System - Retrofit Trailer

REAR SILL HARNESS STOP/TURN/TAIL LIGHT OPTIONS



ID / LICENSE OPTIONS



Main Harness

Part No.	Description	Key
34-1901-024	Main, 24" (2')	A
34-1902-024	Main, 24" (2') with ABS drop	D

2-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4020	With 2 Stop / Turn / Tail, Standard Pigtails	D



3-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4030	With 3 stop / turn / tail, standard pigtails	D1

ID / License Real Seal Harness Option

Part No.	Description	Key	
36-9601-24	ID / License, 24" (2')	*	H2
36-9601-228	ID / License, 228" (19')	*	H
36-9601-036	ID / License, 36" (3')	*	H1

* Will put both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)



Standard (Length as shown above)


Part No.	Description	Key
34-1703-082	Main, 82" (6'-10")	A
34-4010	Rear Sill	D
36-9601-036	ID / License	* H

Part No.	Description	Key
34-2023-160	16' Trailer Mid-Main with Marker & Electric Brake Drop, 160" (13'-4")	B
34-2023-232	22' Trailer Mid-Main with Marker & Electric Brake Drop, 232" (19'-4")	B1

Marker Lamp Lead Options

Part No.	Description	Key
34-5211-024	16' Trailer Mid-Marker, 24" (2')	E
34-5221-024108	22' Trailer Mid-Marker, 24"/108" (2'/9')	E1

* Will fit both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)



Standard (Length as shown above)

48 ft. & 53 ft.

Part No.	Description	Key
34-2101-300	Mid-Main with ECU & ABS Warning Lamp Drop, 300" (25')	B
34-5100-204	Curb Side Front Marker, 204" (17')	E
34-5100-144	Road Side Front Marker, 144" (12')	F
36-9601-228	ID / License	* H

Main Options

Part No.	Description	Key
34-1231-324	Main, 324" (27'), 48' Trailer	A
34-1231-384	Main, 384" (32'), 53' Trailer	A1

ABS Options

Part No.	Description	Key
34-3000-156	ABS Power Harness, 156" (13')	C
34-3000-288	ABS Power Harness, 288" (24')	C1

2-Lamp Rear Sill Harness Options


Part No.	Description	Key
34-4020	With 2 stop / turn / tail, standard pigtails	D
34-4120	With 2 stop / turn / tail, Amp style pigtails	D1


3-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4030	With 3 stop / turn / tail, standard pigtails	D2
34-4130	With 3 stop / turn / tail, Amp style pigtails	D3


* Will fit both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)

REAR SILL HARNESS STOP/TURN/TAIL LIGHT OPTIONS





REAR SILL HARNESS STOP/TURN/TAI LIGHT OPTIONS



Standard (Length as shown above)

Part No.	Description	Key
34-2130-270	Mid-Main with Mid-Marker, ECU & ABS Warning Lamp Drop, 270" (22'-5")	B
36-9601-036	ID/License	* H

Main Options

Part No.	Description	Key
34-1010-300	45' Trailer Main, 300" (25')	A
34-1010-336	48' Trailer Main, 336" (28')	A1
34-1010-396	53' Trailer Main, 396" (33')	A2

ABS Options

Part No.	Description	Key
34-3000-156	ABS Power Harness,156" (13')	C
34-3000-288	ABS Power Harness, 288" (24')	C1


2-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4020	With 2 stop / turn / tail, standard pigtails	D
34-4120	With 2 stop / turn / tail, Amp style pigtails	D1

3-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4030	With 3 stop / turn / tail, standard pigtails	D2
34-4130	With 3 stop / turn / tail, Amp style pigtails	D3

* Will fit both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)



Standard (Length as shown above)

Part No.	Description	Key
34-1111-158	Main, 158" (13'-2")	A
34-2231-480	Mid-Main with Mid-Marker, ECU & ABS Warning Lamp Drop, 480" (40')	B
34-3000-156	ABS Power Harness, 156" (13')	C
36-9601-024	ID / License	* H


2-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4020-1	With 2 stop / turn / tail, standard pigtails	D

3-Lamp Rear Sill Harness Options

Part No.	Description	Key
34-4030-1	With 3 stop / turn / tail, standard pigtails	D2

REAR SILL HARNESS STOP/TURN/TAI LIGHT OPTIONS



* Will fit both 34 series (STA-DRY® SLIM-7™ System) and 36 series (STA-DRY® System)